

Increase Productivity, Increase Efficiency, Increase Label Integrity

Electric

Add'l info for LD5100

- Will dispense labels and die-cut parts
- Adjustable strip plate for hard-to-release labels
- Will accommodate core sizes of 1" (25 mm) and 3" (76mm)
- Can dispense paper, polyester, vinyl, acetate, foam, foil, etc.
- Automatically rewinds liner scrap for a cleaner working environment
- Liner scrap is easily removed
- No tools required for adjusting to different size labels
- No maintenance required
- For Clear labels please select Model # LD5100C

Add'l Info for LD2000

- Will accommodate core sizes of 1" (25mm) and 3" (76mm)
- Can dispense paper, polyester, vinyl, acetate, foil, etc.
- Automatically rewinds liner scrap for a cleaner working environment
- Liner scrap is easily removed
- No tools required for adjusting to different size labels
- No maintenance required
- The LD2000 can be daisy-chained to other LD2000s for dispensing different labels at the same time. This enables up to 8 dispensers to operate as a single dispenser. Order part no. LD2000-CABLE for each connection.

LD5100

4.5" (114mm) wide — Electric Label Dispenser "HIGH SPEED"

- Ideal for virtually any kind of label from bar code to packaging
- Automatically peels and advances labels
- Photosensor accuracy and reliability
- All metal construction
- High torque motor for heavy rolls of labels
- Will dispense labels from .25" to 4.5" (6 to 114mm) in width
- Will dispense labels from .50" to 6" (13 to 152mm) in length



LD2000

2.25" (57mm) wide — Electric Label Dispenser "HIGH SPEED"

- Ideal for small labels and small work areas
- Automatically peels labels from its liner and advances labels
- Will dispense labels and die-cut parts
- Photosensor accuracy and reliability
- All metal construction
- Will dispense labels from .25" to 2.25" (6 to 57mm) in width
- Will dispense labels from .25" to 3" (6 to 76mm) in length



DAISY-CHAIN CAPABILITY



Suggested accessory:
LDPBATTERY
Rechargeable External
Battery Pack

See Accessories Pg. 31

For 220V machines, please add
"-2" to the end of the model number.
(Example: LD5100-2)

MODEL #	Liner Capacity Width	Length	Roll Capacity	Feed Speed*	Dimensions	Electrical Requirements	Weight
LD5100	.25" to 4.5" (6mm to 114mm)	.50" to 6" (13mm to 152mm)	12" (30.5cm)	3.3"/sec* (8cm/sec.)	10.8"(L) x 10.8"(W) x 14.5"(H) 27.4cm(L) x 27.4cm(W) x 36.8cm(H)	100/120V 50/60Hz, <1 amp (220V 50/60Hz available)	9.2 lbs (4.17 kg)
LD2000	.25" to 2.25" (6mm to 57mm)	.25" to 3" (6mm to 76mm)	6" (15.2cm)	2.2"/sec* (5.6cm/sec.)	7.3"(L) x 4.9"(W) x 9.6"(H) 8.5cm(L) x 12.5cm(W) x 24.1cm(H)	12V Dc with Universal transformer, 100V - 240V	2.9 lbs (1.32 kg)

*speed calculated at 60Hz